

FULL SIZE	COMPONENTS	DIMENSIONS IN INCHES
-----------	------------	----------------------

6-178 000-0000000000000000
000-00000000000000000000
000-00000000000000000000
000-00000000000000000000
000-00000000000000000000
000-00000000000000000000
000-00000000000000000000

NOTE - SCREW THREADS ARE TO THE ENFID.
STANDING UNLESS OTHERWISE STATED.



1318 SMALL ARMS

DIMENSIONS IN INCHES

COMPONENTS.

S.A.I.D.
1319D.

SEALD, W/64, 15-3-65.

SPRINGS

3.8 TO 4.375
3/8 COILS, MP 18 SWG

SPRING, 1991

SPRING, GRASS, HAND, DEAD

SPRING, ANNUAL
MAGAZINE 'B'

	0.035	(T)	1.00
SF 87 S.S.			
(CMAA)			
CON			
E.D.A.			
UNIVERSITY			

SPRING
PLATFORM MAGAZINE

LENGTH OF SPINE BLANK 11.08

SPRING, BOLT, LOCKING W/ T

[illegible]

SPRING
MARCH 18 AND 19

EXPENSES

SPRING SCREW BAND PAPER

SPRING, CATCH, SLIDE, BACKSIGHT

SPRING, SIDE, BACK.

SPONGE TRAP BUTY-PLATE

SPRING, 1947

SPRING, STUD, FORE-END

CANCELLED SEE PART N° CR462

BOLT, STOCK, "A"

[illegible]

PLATE, STOCK BOLT

COLLAR:
(FOR TRIGGER GUARD SCREW)


SWEET, SLAVE

SIVVEL, PULJAS, B.















OBSOLESCE

13190

THIRD ANGLE PROJECTION















NOTE: THE HEADS OF ALL SCREWS ARE TO BE TURNED FROM THE WIRE OR BAR AND NOT SPUN OR REPT. EXCEPTING SCREW BUTT PLATE, SCREW BRACKET AND SCREW PROTECTOR. 5 INDICATES HEAD OF SCREW TO BE POLISHED BEFORE HARDENING OR BLACKING.



SCREWS.

SCALE: 1/2"



DESIGNED BY: [Name]

CHECKED BY: [Name]

DATE: [Date]

SCALE: 1/2"

TOLERANCES: [Tolerances]

FILE: [File]

SIZE: 8

DATE: [Date]

DATE: [Date]

DATE: [Date]

DATE: [Date]

DATE: [Date]